

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	(select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor)) same (smp multiprocessor)	USPAT	OR	OFF	2005/01/14 10:10
L2	3	(select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor)) same (smp multiprocessor)	EPO; DERWENT	OR	OFF	2005/01/14 10:10
L3	2	(select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor)) same (smp multiprocessor)	USOCR; IBM_TDB	OR	OFF	2005/01/14 10:11
L4	0	(select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor)) same (smp multiprocessor)	JPO	OR	OFF	2005/01/14 10:10
L5	8	("6108781").URPN.	USPAT	OR	OFF	2005/01/14 11:00
L6	8	ensur\$3 near5 ((each every all both) adj3 ready)	USPAT	OR	OFF	2005/01/14 11:16
L7	5	ensur\$3 near5 ((each every all both) adj3 ready)	US-PGPUB; USOCR	OR	OFF	2005/01/14 11:09
L8	2	ensur\$3 near5 ((each every all both) adj3 ready)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:03
L9	6005	wait\$3 near6 (ready complete\$1)	US-PGPUB; USOCR	OR	OFF	2005/01/14 11:09
L10	0	(wait\$3 adj3 all) near6 (ready complete\$1)	US-PGPUB; USOCR	OR	OFF	2005/01/14 11:10
L11	0	(wait\$3 adj3 all) near6 (ready complete\$1)	USPAT	OR	OFF	2005/01/14 11:10
L12	0	(wait\$3 adj3 all) near6 (ready complete\$1)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:10
L13	61	ensur\$3 near5 ((each every all both) adj3 complete\$1)	USPAT	OR	OFF	2005/01/14 11:11
L14	9	13 and g06f\$.ipc.	USPAT	OR	OFF	2005/01/14 11:13
L15	0	all with enter	USPAT	OR	OFF	2005/01/14 11:13
L16	0	all with enter	US-PGPUB	OR	OFF	2005/01/14 11:13
L17	0	"all" with "enter"	US-PGPUB	OR	OFF	2005/01/14 11:14
L18	63	all	US-PGPUB	OR	OFF	2005/01/14 11:15
L19	109657	enter	US-PGPUB	OR	OFF	2005/01/14 11:14
L20	0	18 with 19	US-PGPUB	OR	OFF	2005/01/14 11:14
L21	0	18 same 19	US-PGPUB	OR	OFF	2005/01/14 11:14
L22	13	18 and 19	US-PGPUB	OR	OFF	2005/01/14 11:14
L23	63	"all"	US-PGPUB	OR	OFF	2005/01/14 11:15
L24	59	ensur\$3 with (processor\$1 near8 enter\$3)	USPAT	OR	OFF	2005/01/14 11:17

L25	9	ensur\$3 with (cpu\$1 near8 enter\$3)	USPAT	OR	OFF	2005/01/14 11:17
L26	25	(24 25) and g06f\$.ipc.	USPAT	OR	OFF	2005/01/14 11:18
L27	1619	"all"	USPAT	OR	OFF	2005/01/14 11:52
L28	1595	"all"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:52
L29	1	28 with enter\$2	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:52
L30	180	((each every all both) adj3 ready)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:58
L31	1857	((each every all both) adj3 ready)	USPAT; USOCR	OR	OFF	2005/01/14 11:58
L32	73	31 with until	USPAT; USOCR	OR	OFF	2005/01/14 12:00
L33	6	30 with until	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:59
L34	26	32 and g06f\$.ipc.	USPAT; USOCR	OR	OFF	2005/01/14 11:59
L35	219	31 with signal\$1	USPAT; USOCR	OR	OFF	2005/01/14 12:01
L36	2	35 and (bsp bootstrap)	USPAT; USOCR	OR	OFF	2005/01/14 12:01
L37	36	35 and (mp smp multiprocessor)	USPAT; USOCR	OR	OFF	2005/01/14 12:13
L38	52	ensur\$3 with (processor\$1 or cpu\$1) with enter\$1	USPAT; USOCR	OR	OFF	2005/01/14 12:33
L39	6	ensur\$3 with (processor\$1 or cpu\$1) with enter\$1	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:21
L40	27	38 and g06f\$.ipc.	USPAT; USOCR	OR	OFF	2005/01/14 12:23
L41	36	arbitrat\$3 with (processor\$1 or cpu\$1) with enter\$1	USPAT; USOCR	OR	OFF	2005/01/14 12:45
L42	1	arbitrat\$3 with (processor\$1 or cpu\$1) with enter\$1	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:34
L43	0	("6467006").URPN.	USPAT	OR	OFF	2005/01/14 12:40
L44	18	("4467418" "4470110" "4626843" "4633394" "4654655" "4667192" "4719458" "5101482" "5263163" "5398243" "5555420" "5557754" "5689657" "5740174" "5754803" "5781745" "5968154" "6058449"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 12:40

L45	5	arbitrat\$3 near4 (bootstrap bsp)	USPAT; USOCR	OR	OFF	2005/01/14 13:20
L46	1	arbitrat\$3 near4 (bootstrap bsp)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:46
L47	19	("5724527").URPN.	USPAT	OR	OFF	2005/01/14 12:49
L48	9	47 and (bootstrap bsp)	USPAT; USOCR	OR	OFF	2005/01/14 12:50
L49	9	("5904733").URPN.	USPAT	OR	OFF	2005/01/14 12:57
L50	4	("5450576" "5659748" "5724527" "5790850").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 13:19
L51	448	bist with (pass\$2 or complete\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 13:19
L52	14	bist with (pass\$2 or complete\$1)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 13:20
L53	3	51 same (bootstrap bsp)	USPAT; USOCR	OR	OFF	2005/01/14 13:20
L54	1	52 and (bootstrap bsp)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 13:20